



**PERMIT TO CONSTRUCT
Onsite Wastewater System**

File Nbr: **2019090015**
County: Saluda

Name: AMERICAN LAND HOLDINGS LLC

Type Facility: HOUSE

Subdivision: PALMETTO POINTE

Block: Lot: 20

Address: 59 MIDDLETON DR
LUGOFF, SC 29078

Site: LOT 20
SC

Program Code: 362

System Code: 271

TM#:

Water Supply: PUBLIC

PERMIT TO CONSTRUCT SYSTEM SPECIFICATIONS

Daily Flow (gpd): 360

LTAR: .30

Tank Sizes (gal): Septic Tank: 1000 Pump Chamber: 1000 Grease Trap:
Trenches: Length (ft): 424 Width (in): 48 Max. Depth (in): 21 Agg. Depth (in): 9
Min Pump Capacity: 10 gpm at 20 ft. of Head

SPECIAL INSTRUCTIONS/CONDITIONS

THIS PERMIT IS SITE SPECIFIC ANY CHANGES TO THE SYSTEM MUST BE APPROVED BY DHEC ALTERNATIVE TRENCH PRODUCTS APPROVED UNDER STATE RULES AND REGULATIONS MAY BE SUBSTITUTED ANY UNAPPROVED CHANGES WILL VOID THIS PERMIT

See Attached Page...

PERMIT TO CONSTRUCT SYSTEM DIAGRAM

(NTS)

System design by
Land Resource Management soil
classifier Walker Ferguson
828-231-1663
see Attached supplemental
diagram

Issued/Revised By:

Date:

10/29/19



APPLICATION SUPPLEMENTAL FORM

Onsite Wastewater System

File Nbr: **2019090015**

County: **Saluda**

Name: **AMERICAN LAND HOLDINGS LLC**

Address:

Program Code: **362**

Type Facility: **HOUSE**

**59 MIDDLETON DR
LUGOFF, SC 29078**

TM#:

Subdivision **PALMETTO POINTE**

Site: **LOT 20
. SC**

Water Supply: **PUBLIC**

Block: Lot: **20**



LAND RESOURCE MANAGEMENT


Land Evaluation by Land Experts

SYSTEM SPECIFICATIONS

Est. Daily Flow (in GPD) 360 LTAR 3 S. Tank Size (Gallons) 1000 Pump Chamber Size (Gallons) 1000 Min. Pump Capacity gpm @ feet of head ZSS (in inches) Water table encountered? Yes No

Trenches

Total Number 7 Length (in feet) 434 Width (in inches) 48" Max. Depth (in inches) 21" aggregate mtl. 1044 Aggregate Depth 9 Alternative product



Walker A. Ferguson

Palmetto Pointe
Lot #20

KMM