



PERMIT TO CONSTRUCT
Onsite Wastewater System

File Nbr: **2019110023**
County: Saluda

Name: AMERICAN LAND HOLDINGS LLC

Program Code: 360

Type Facility: HOUSE

Address: 59 MIDDLETON DR
LUGOFF, SC 29078

System Code: 271

Subdivision: PALMETTO POINTE

Site: LONGVIEW DR LOT 77

TM#:

Block: Lot: 77

SALUDA, SC

Water Supply: PUBLIC

PERMIT TO CONSTRUCT SYSTEM SPECIFICATIONS

Daily Flow (gpd): 360

Tank Sizes (gal): Septic Tank: 1000 Pump Chamber: 1000

Grease Trap:

LTAR: .25

Trenches: Length (ft): 207 Width (in): 120 Max. Depth (in): 29

Agg. Depth (in): 14

Min Pump Capacity: 10 gpm at 20

ft. of Head

SPECIAL INSTRUCTIONS/CONDITIONS

THIS PERMIT IS SITE SPECIFIC. ANY CHANGES TO THE SYSTEM MUST BE APPROVED BY DHEC. ALTERNATIVE TRENCH PRODUCTS APPROVED UNDER STATE RULES AND REGULATIONS MAY BE SUBSTITUTED. ANY UNAPPROVED CHANGES WILL VOID THIS PERMIT.

See Attached Page...

PERMIT TO CONSTRUCT SYSTEM DIAGRAM

(NTS)

system design by
Land Resource Management soil
classifier walker ferguson
828-231-1663
see Attached supplemental
diagram

Issued/Revised By: 

Date: 11/22/19

DHEC 1781 (01/2014)

This Permit is Appealable Under the Administrative Procedures Act.
There may be an Additional Fee for Changes in this Permit that Require a Site Reevaluation.

